

| | | |
|----------------------|---|-----------------|
| Customer: | EA Sample ID: 22EA1206-003 | Date Received: |
| CBDfx | Sample Name: Pet Tincture - Cat - Chicken 250mg | 12/06/2022 |
| 19851 Nordhoff Pl | Sample Type: Liquid | Date Completed: |
| Chatsworth, CA 91311 | Batch/Lot: CPT250 | 12/08/2022 |



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

| Analysis Type | SOP | Date Tested | Status |
|-------------------|----------------|-------------|----------|
| Cannabinoids | EA-SOP-POTENCY | 12/07/2022 | Complete |
| Heavy Metals | EA-SOP-HM | 12/07/2022 | Pass |
| Microbials | EA-SOP-ARIA | 12/08/2022 | Pass |
| Mycotoxins | EA-SOP-MYCO | 12/08/2022 | Pass |
| Residual Solvents | EA-SOP-RES | 12/08/2022 | Pass |
| Pesticides | EA-SOP-PEST | 12/08/2022 | Pass |



Unit Size (g): 28.35

POTENCY CANNABINOID PROFILE

| Analyte | Result (mg/g) | mg/unit | w/w % | LOQ (ppm) | LOD (ppm) |
|----------------------------------|---------------|---------|-------|-----------|-----------|
| CANNABIDIVARIN (CBDV) | <LOQ | <LOQ | <LOQ | 100 | 30 |
| CANNABICHROMENE (CBC) | <LOD | <LOD | <LOD | 100 | 30 |
| CANNABIGEROL (CBG) | 0.36 | 10.14 | 0.04 | 100 | 30 |
| CANNABIDIOL (CBD) | 9.77 | 276.86 | 0.98 | 100 | 30 |
| CANNABINOL (CBN) | <LOD | <LOD | <LOD | 100 | 30 |
| Δ9 TETRAHYDROCANNABINOL (D9-THC) | <LOD | <LOD | <LOD | 100 | 30 |
| Δ8 TETRAHYDROCANNABINOL (D8-THC) | <LOD | <LOD | <LOD | 100 | 30 |

NOTES:

NT = NOT TESTED

LOD = LIMIT OF DETECTION

LOQ = LIMIT OF QUANTIFICATION

Ethos Analytics Laboratory
3020 E Camelback Rd
Suite 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io

Noel Samsum
Laboratory Director
8-Dec-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

| | | |
|----------------------|---|-----------------|
| Customer: | EA Sample ID: 22EA1206-003 | Date Received: |
| CBDfx | Sample Name: Pet Tincture - Cat - Chicken 250mg | 12/06/2022 |
| 19851 Nordhoff Pl | Sample Type: Liquid | Date Completed: |
| Chatsworth, CA 91311 | Batch/Lot: CPT250 | 12/08/2022 |



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Heavy Metal Analysis

| Analyte | Result (ppm) | LOQ (ppm) | LOD (ppm) | Limit (ppm) | Pass/Fail |
|---------|--------------|-----------|-----------|-------------|-----------|
| Arsenic | <LOD | 0.010 | 0.005 | 1.5 | Pass |
| Cadmium | <LOD | 0.010 | 0.005 | 0.5 | Pass |
| Lead | <LOD | 0.010 | 0.005 | 0.5 | Pass |
| Mercury | <LOD | 0.010 | 0.005 | 3.0 | Pass |

Microbiological Analysis

| Microbe | Result (CFU/ml) | Limit (CFU/ml) | Specification | Pass/Fail |
|-----------------------|-----------------|----------------|---------------|-----------|
| Aspergillus Flavus | Not Detected | - | - | Pass |
| Aspergillus Fumigatus | Not Detected | - | - | Pass |
| Aspergillus Niger | Not Detected | - | - | Pass |
| Aspergillus Terreus | Not Detected | - | - | Pass |
| STEC | Not Detected | - | - | Pass |
| Salmonella | Not Detected | - | - | Pass |
| Yeast/Mold | Not Detected | - | - | Pass |

NOTES:

CFU = Colony Forming Unit
 NS = Not Specified
 NP = Not Present in Sample

LOQ = Limit of Quantification
 LOD = Limit of Detection


 Ethos Analytics Laboratory
 3020 E Camelback Rd
 Suite 397
 Phoenix, AZ 85016
 Info@Ethosanalytics.io
 www.Ethosanalytics.io

Noel Samsum
 Laboratory Director
 8-Dec-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

| | | |
|----------------------|---|-----------------|
| Customer: | EA Sample ID: 22EA1206-003 | Date Received: |
| CBDfx | Sample Name: Pet Tincture - Cat - Chicken 250mg | 12/06/2022 |
| 19851 Nordhoff Pl | Sample Type: Liquid | Date Completed: |
| Chatsworth, CA 91311 | Batch/Lot: CPT250 | 12/08/2022 |



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Mycotoxins

| Analyte | Result (ppb) | LOD (ppb) | LOQ (ppb) | Limit (ppb) | Pass/Fail |
|------------------|--------------|-----------|-----------|-------------|-----------|
| Aflatoxin B1 | <LOD | 3.0 | 9.0 | - | - |
| Aflatoxin B2 | <LOD | 2.0 | 9.0 | - | - |
| Aflatoxin G1 | <LOD | 3.0 | 9.0 | - | - |
| Aflatoxin G2 | <LOD | 2.0 | 6.0 | - | - |
| Ochratoxin A | <LOD | 4.0 | 12.0 | 20 | Pass |
| Total Aflatoxins | <LOD | | | 20 | Pass |

Residual Solvent Analysis

| Analyte | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Pass/Fail |
|---------------------|--------------|-----------|-----------|-------------|-----------|
| 1,2-Dichloro-Ethane | <LOD | 0.10 | 0.30 | 1 | Pass |
| Benzene | <LOD | 0.03 | 0.10 | 1 | Pass |
| Chloroform | <LOD | 0.03 | 0.10 | 1 | Pass |
| Ethylene Oxide | <LOD | 0.20 | 0.60 | 1 | Pass |
| Methylene-Chloride | <LOD | 0.10 | 0.80 | 1 | Pass |
| Trichloroethene | <LOD | 0.03 | 0.20 | 1 | Pass |
| Acetone | <LOD | 1 | 60 | 5000 | Pass |
| Acetonitrile | <LOD | 1 | 5 | 410 | Pass |
| Butane | <LOD | 1 | 5 | 5000 | Pass |
| Ethanol | <LOD | 3 | 10 | 5000 | Pass |
| Ethyl-Acetate | <LOD | 1 | 5 | 5000 | Pass |
| Ethyl-Ether | <LOD | 1 | 5 | 5000 | Pass |
| Heptane | <LOD | 1 | 5 | 5000 | Pass |
| n-Hexane | <LOD | 1 | 5 | 290 | Pass |
| Isopropanol | <LOD | 1 | 5 | 5000 | Pass |
| Methanol | <LOD | 1 | 5 | 3000 | Pass |
| Pentane | <LOD | 2 | 5 | 5000 | Pass |
| Propane | <LOD | 5 | 10 | 5000 | Pass |
| Toluene | <LOD | 1 | 5 | 890 | Pass |
| Xylenes | <LOD | 1 | 5 | 2170 | Pass |



Noel Samsum
 Laboratory Director
 8-Dec-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

| | | |
|----------------------|---|-----------------|
| Customer: | EA Sample ID: 22EA1206-003 | Date Received: |
| CBDfx | Sample Name: Pet Tincture - Cat - Chicken 250mg | 12/06/2022 |
| 19851 Nordhoff Pl | Sample Type: Liquid | Date Completed: |
| Chatsworth, CA 91311 | Batch/Lot: CPT250 | 12/08/2022 |



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Category 1 Pesticide Analysis

| Analyte | Result (ppm) | LOD (ppm) | LOQ (ppm) | Pass/Fail |
|------------------|--------------|-----------|-----------|-----------|
| Aldicarb | <LOD | 0.025 | 0.075 | Pass |
| Carbofuran | <LOD | 0.025 | 0.075 | Pass |
| Chlordane | <LOD | 0.025 | 0.075 | Pass |
| Chlorfenapyr | <LOD | 0.025 | 0.075 | Pass |
| Chlorpyrifos | <LOD | 0.025 | 0.075 | Pass |
| Coumaphos | <LOD | 0.025 | 0.075 | Pass |
| Daminozide | <LOD | 0.030 | 0.080 | Pass |
| Dichlorvos | <LOD | 0.025 | 0.075 | Pass |
| Dimethoate | <LOD | 0.025 | 0.075 | Pass |
| Ethoprophos | <LOD | 0.025 | 0.075 | Pass |
| Etofenprox | <LOD | 0.025 | 0.075 | Pass |
| Fenoxycarb | <LOD | 0.025 | 0.075 | Pass |
| Fipronil | <LOD | 0.025 | 0.075 | Pass |
| Imazalil | <LOD | 0.025 | 0.075 | Pass |
| Methiocarb | <LOD | 0.025 | 0.075 | Pass |
| Mevinphos | <LOD | 0.025 | 0.075 | Pass |
| Paclobutrazol | <LOD | 0.025 | 0.075 | Pass |
| Parathion Methyl | <LOD | 0.025 | 0.075 | Pass |
| Propoxur | <LOD | 0.025 | 0.075 | Pass |
| Spiroxamine | <LOD | 0.025 | 0.075 | Pass |
| Thiacloprid | <LOD | 0.025 | 0.075 | Pass |


 Ethos Analytics Laboratory
 3020 E Camelback Rd
 Suite 397
 Phoenix, AZ 85016
 Info@Ethosanalytics.io
 www.Ethosanalytics.io

Noel Samsum
 Laboratory Director
 8-Dec-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

| | | |
|----------------------|---|-----------------|
| Customer: | EA Sample ID: 22EA1206-003 | Date Received: |
| CBDfx | Sample Name: Pet Tincture - Cat - Chicken 250mg | 12/06/2022 |
| 19851 Nordhoff Pl | Sample Type: Liquid | Date Completed: |
| Chatsworth, CA 91311 | Batch/Lot: CPT250 | 12/08/2022 |



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Category 2 Pesticide Analysis

| Analyte | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Pass/Fail |
|---------------------|--------------|-----------|-----------|-------------|-----------|
| Abamectin | <LOD | 0.010 | 0.050 | 0.3 | Pass |
| Acephate | <LOD | 0.020 | 0.050 | 5 | Pass |
| Acequinocyl | <LOD | 0.020 | 0.075 | 4 | Pass |
| Acetamiprid | <LOD | 0.020 | 0.050 | 5 | Pass |
| Azoxystrobin | <LOD | 0.010 | 0.050 | 40 | Pass |
| Bifenazate | <LOD | 0.020 | 0.050 | 5 | Pass |
| Bifenthrin | <LOD | 0.020 | 0.050 | 0.5 | Pass |
| Boscalid | <LOD | 0.020 | 0.075 | 10 | Pass |
| Captan | <LOD | 0.150 | 0.400 | 5 | Pass |
| Carbaryl | <LOD | 0.020 | 0.050 | 0.5 | Pass |
| Chlorantraniliprole | <LOD | 0.025 | 0.075 | 40 | Pass |
| Clofentezine | <LOD | 0.020 | 0.050 | 0.5 | Pass |
| Cyfluthrin | <LOD | 0.020 | 0.075 | 1 | Pass |
| Cypermethrin | <LOD | 0.020 | 0.050 | 1 | Pass |
| Diazinon | <LOD | 0.010 | 0.050 | 0.2 | Pass |
| Dimethomorph | <LOD | 0.020 | 0.050 | 20 | Pass |
| Etoxazole | <LOD | 0.010 | 0.050 | 1.5 | Pass |
| Fenhexamid | <LOD | 0.020 | 0.050 | 10 | Pass |
| Fenpyroximate | <LOD | 0.010 | 0.050 | 2 | Pass |
| Flonicamid | <LOD | 0.030 | 0.090 | 2 | Pass |
| Fludioxonil | <LOD | 0.020 | 0.050 | 30 | Pass |
| Hexythiazox | <LOD | 0.030 | 0.090 | 2 | Pass |
| Imidacloprid | <LOD | 0.030 | 0.075 | 3 | Pass |


 Ethos Analytics Laboratory
 3020 E Camelback Rd
 Suite 397
 Phoenix, AZ 85016
 Info@Ethosanalytics.io
 www.Ethosanalytics.io

Noel Samsum
 Laboratory Director
 8-Dec-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

| | | |
|----------------------|---|-----------------|
| Customer: | EA Sample ID: 22EA1206-003 | Date Received: |
| CBDfx | Sample Name: Pet Tincture - Cat - Chicken 250mg | 12/06/2022 |
| 19851 Nordhoff Pl | Sample Type: Liquid | Date Completed: |
| Chatsworth, CA 91311 | Batch/Lot: CPT250 | 12/08/2022 |



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Category 2 Pesticide Analysis Continued

| Analyte | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Pass/Fail |
|-------------------------|--------------|-----------|-----------|-------------|-----------|
| Kresoxim Methyl | <LOD | 0.020 | 0.050 | 1 | Pass |
| Malathion | <LOD | 0.020 | 0.050 | 5 | Pass |
| Metalaxyl | <LOD | 0.010 | 0.050 | 15 | Pass |
| Methomyl | <LOD | 0.020 | 0.050 | 0.1 | Pass |
| Myclobutanil | <LOD | 0.020 | 0.075 | 9 | Pass |
| Naled | <LOD | 0.020 | 0.075 | 0.5 | Pass |
| Oxamyl | <LOD | 0.020 | 0.050 | 0.3 | Pass |
| Pentachloronitrobenzene | <LOD | 0.020 | 0.075 | 0.2 | Pass |
| Permethrin | <LOD | 0.010 | 0.050 | 20 | Pass |
| Phosmet | <LOD | 0.020 | 0.050 | 0.2 | Pass |
| Piperonyl Butoxide | <LOD | 0.010 | 0.050 | 8 | Pass |
| Prallethrin | <LOD | 0.025 | 0.075 | 0.4 | Pass |
| Propiconazole | <LOD | 0.020 | 0.075 | 20 | Pass |
| Pyrethrins | <LOD | 0.010 | 0.050 | 1 | Pass |
| Pyridaben | <LOD | 0.020 | 0.050 | 3 | Pass |
| Spinetoram | <LOD | 0.010 | 0.050 | 3 | Pass |
| Spinosad | <LOD | 0.010 | 0.050 | 3 | Pass |
| Spiromesifen | <LOD | 0.020 | 0.050 | 12 | Pass |
| Spirotetramat | <LOD | 0.020 | 0.050 | 13 | Pass |
| Tebuconazole | <LOD | 0.020 | 0.050 | 2 | Pass |
| Thiamethoxam | <LOD | 0.020 | 0.075 | 4.5 | Pass |
| Trifloxystrobin | <LOD | 0.010 | 0.050 | 30 | Pass |


 Ethos Analytics Laboratory
 3020 E Camelback Rd
 Suite 397
 Phoenix, AZ 85016
 Info@Ethosanalytics.io
 www.Ethosanalytics.io

Noel Samsum
 Laboratory Director
 8-Dec-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.