Certificate ID: 111374

Received: 12/2/22

Client Sample ID: Elektra

Lot Number:

Matrix: Flowers/Bud-Dry Flower



CANNAFLOWER

40 University Way, Unit 40 Brattleboro, VT 05301

Authorization: Signature: Date:

Andrew Aubin, Lab Director



1/31/2023







80585

collected in accordance with the requirements of ISO/IEC17025:2017. I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

The data contained within this report was

CN: Cannabinoid Profile & Potency [WI-10-17 & WI-10-17-01]

Analyst: SD

Test Date: 1/27/2023

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

111374-CN

ID	Weight %	Concentration (mg/g)			
Δ9-ΤΗС	0.0761	0.761			
THCV	ND	ND			
CBD	0.618	6.18			
CBDV	ND	ND			
CBG	ND	ND			
CBC	0.0591	0.591			
CBN	ND	ND			
THCA	0.448	4.48			
CBDA	18.2	182			
CBGA	0.623	6.23			
CBDVA	0.0533	0.533			
Δ8-ΤΗС	ND	ND			
exo-THC	ND	ND			
Total	20.1	201	0%	Cannabinoids (wt%)	18.2%
Max THC	0.469	4.69		Limit of Quantitation (LOQ) =	
Max CBD	16.6	166		Limit of Detection (LOD) =	0.0022 wt%

Ratio of Total CBD to THC 35.4:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: MAX THC = (0.877 x THCA) + THC. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND=None detected above the limits of detection (LOD), which is one third of Limit of Quantification (LOQ). For values reported as "<LOQ", the estimated value is included in the calculated Total.

TP: Terpenes Profile [WI-10-37]

Analyst: CS

Test Date: 1/26/2023

The sample was analyzed for terpenes (WI-10-37) utilizing solvent extraction followed by Gas Chromatography (GC) utilizing flame ionization detection (FID). Chromatographic data were processed by quantitatively comparing the analytical peak areas against calibration curves prepared from certified reference standards.

111374-TP

Compound	CAS	Conc. (wt%)	Conc. (ppm)	Qualitative Profile
alpha-pinene	80-56-8	0.115	1,150	
camphene	79-92-5	ND	ND	
sabinene	3387-41-5	ND	ND	
beta-pinene	127-91-3	0.0732	732	
beta-myrcene	123-35-3	0.511	5,110	
alpha-phellandrene	99-83-2	0.0125	125	
delta-3-carene	13466-78-9	0.0073	72.8	
alpha-terpinene	99-86-5	0.0118	118	
p-cymene	99-87-6	ND	ND	
D-limonene	5989-27-5	0.100	1,000	
eucalyptol	470-82-6	ND	ND	
alpha-ocimene	502-99-8	ND	ND	
beta-ocimene	13877-91-3	0.0278	278	
gamma-terpinene	99-85-4	0.0090	89.8	
terpinolene	586-62-9	0.207	2,070	
L-fenchone	7787-20-4	ND	ND	
linalool	78-70-6	0.0235	235	
isopulegol	89-79-2	ND	ND	
menthol	89-78-1	ND	ND	
geraniol	106-24-1	ND	ND	
beta-caryophyllene	87-44-5	0.152	1,520	
alpha-humulene	6753-98-6	0.0729	729	
cis-nerolidol	3790-78-1	ND	ND	
trans-nerolidol	40716-66-3	ND	ND	
caryophyllene oxide	1139-30-6	ND	ND	
guaiol	489-86-1	0.188	1,880	
alpha-bisabolol	23089-26-1	0.101	1,010	
		- 1 7/18	wt%	0.00 0.50 1.

Total Terpene: 1.6 wt%

END OF REPORT

^{*} Certified reference standard not available for this compound. Concentration is estimated using the response factor from alpha-pinene. ND = None Detected. RL = Reporting Limit of 5 ppm.